PRO-SERIES UNDERMOUNT SINKS

SPECIFICATION SHEETS

Dimensional cut sheets for architects, designers, fabricators and contractors. Hand crafted in the USA since 1941.

MODEL	CONFIGURATION	OVERALL	PAGE
S-430	Single bowl	14 × 14"	p. 2
S-431	Single bowl	18 × 16"	p. 2
S-432	Single bowl	22 × 18"	p. 3
S-433	Single bowl	30 × 18"	p. 3
S-434	Single bowl	30 × 20"	p. 4
SL-430	Large single bowl	32 × 18"	p. 4
SL-431	Large single bowl	32 × 20"	p. 5
SL-432	Large single bowl	34 × 18"	p. 5
SL-433	Large single bowl	34 × 20"	p. 6
SL-434	Large single bowl	34 × 22"	p. 6
SD-430	Double bowl, equal	32 × 18"	p. 7
SD-431	Double bowl, equal	32 × 20"	p. 7
SD-432	Double bowl, equal	34 × 18"	p. 8
SD-433	Double bowl, equal	34 × 20"	p. 8
SE-430	Double bowl, offset	32 × 18"	p. 9
SE-431	Double bowl, offset	32 × 20"	p. 9
SE-432	Double bowl, offset	34 × 18"	p. 10
SE-433	Double bowl, offset	34 × 20"	p. 10
SM-430	Main + prep bowl	32 × 18"	p. 11
SM-431	Main + prep bowl	32 × 20"	p. 11
SM-432	Main + prep bowl	34 × 18"	p. 12
SM-433	Main + prep bowl	34 × 20"	p. 12

Standard on every model

Material	**16 GA (1.65 mm) T-304 stainless steel**
Finish	**#4 satin, hand polished**
Construction	**Fully formed and welded; not stamped**
Bowl depth	**9" on all models**
Corner radius	**⅝" inside bowl corners**
Drain opening	**3½" standard, centered in each bowl**
Flange / divider	**1" flange; 1" divider on double bowls**
Cabinet clearance	**1" minimum each side of overall sink**
Sound coating	**Underside, all models**
Certification	**NSF/ANSI cGMP · ASME A112.19.3**
Warranty	**Lifetime**
Accessories	**S/S bottom grates: model number + -SS**
Option	**T-316L stainless for caustic or corrosive environments**


All dimensions in inches. Drawings are not to scale. Verify dimensions against the actual sink before fabricating countertops. Minimum cabinet sizes are interior widths and allow 1" clearance each side.

S-430


Single bowl · 14 × 14" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Single bowl**
Overall (O.D.)	**14 × 14"**
Bowl (I.D.)	**12 × 12"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**16" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**S-430-SS**
Option	**T-316L on request**

S-431

Single bowl · 18 × 16" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Single bowl**
Overall (O.D.)	**18 × 16"**
Bowl (I.D.)	**16 × 14"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**20" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**S-431-SS**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

S-432

Single bowl · 22 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Single bowl**
Overall (O.D.)	**22 × 18"**
Bowl (I.D.)	**20 × 16"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**24" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**S-432-SS**
Option	**T-316L on request**

S-433


Single bowl · 30 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Single bowl**
Overall (O.D.)	**30 × 18"**
Bowl (I.D.)	**28 × 16"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**32" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**S-433-SS**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

S-434


Single bowl · 30 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Single bowl**
Overall (O.D.)	**30 × 20"**
Bowl (I.D.)	**28 × 18"**
Bowl depth	**9"**
Corner radius	**5/8"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**32" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**S-434-SS**
Option	**T-316L on request**

SL-430


Large single bowl · 32 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Large single bowl**
Overall (O.D.)	**32 × 18"**
Bowl (I.D.)	**30 × 16"**
Bowl depth	**9"**
Corner radius	**5/8"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SL-430-SS**
Option	**T-316L on request**

APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____


Berlin Food & Lab Equipment Co.
NSF/ANSI cGMP CERT
43 South Linden Ave
South San Francisco, CA 94080
www.berlinusa.com · mail@berlinusa.com
650.589.4231

SL-431

Large single bowl · 32 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Large single bowl**
Overall (O.D.)	**32 × 20"**
Bowl (I.D.)	**30 × 18"**
Bowl depth	**9"**
Corner radius	**5/8"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SL-431-SS**
Option	**T-316L on request**

SL-432


Large single bowl · 34 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Large single bowl**
Overall (O.D.)	**34 × 18"**
Bowl (I.D.)	**32 × 16"**
Bowl depth	**9"**
Corner radius	**5/8"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SL-432-SS**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SL-433

Large single bowl · 34 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Large single bowl**
Overall (O.D.)	**34 × 20"**
Bowl (I.D.)	**32 × 18"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SL-433-SS**
Option	**T-316L on request**

SL-434


Large single bowl · 34 × 22" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Large single bowl**
Overall (O.D.)	**34 × 22"**
Bowl (I.D.)	**32 × 20"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard, centered**
Flange	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SL-434-SS**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SD-430


Double bowl, equal · 32 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Double bowl, equal**
Overall (O.D.)	**32 × 18"**
Bowl (I.D.)	**14½ × 16" (2)**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SD-430-SS (set of 2)**
Option	**T-316L on request**

SD-431


Double bowl, equal · 32 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Double bowl, equal**
Overall (O.D.)	**32 × 20"**
Bowl (I.D.)	**14½ × 18" (2)**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SD-431-SS (set of 2)**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SD-432


Double bowl, equal · 34 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Double bowl, equal**
Overall (O.D.)	**34 × 18"**
Bowl (I.D.)	**15½ × 16" (2)**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SD-432-SS (set of 2)**
Option	**T-316L on request**

SD-433


Double bowl, equal · 34 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Double bowl, equal**
Overall (O.D.)	**34 × 20"**
Bowl (I.D.)	**15½ × 18" (2)**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SD-433-SS (set of 2)**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SE-430


Double bowl, offset · 32 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Double bowl, offset**
Overall (O.D.)	**32 × 18"**
Bowl (I.D.)	**16 × 16" + 13 × 16"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SE-430-SS (set of 2)**
Option	**T-316L on request**

SE-431


Double bowl, offset · 32 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Double bowl, offset**
Overall (O.D.)	**32 × 20"**
Bowl (I.D.)	**16 × 18" + 13 × 18"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SE-431-SS (set of 2)**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SE-432


Double bowl, offset · 34 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Double bowl, offset**
Overall (O.D.)	**34 × 18"**
Bowl (I.D.)	**18 × 16" + 13 × 16"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SE-432-SS (set of 2)**
Option	**T-316L on request**

SE-433


Double bowl, offset · 34 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Double bowl, offset**
Overall (O.D.)	**34 × 20"**
Bowl (I.D.)	**18 × 18" + 13 × 18"**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SE-433-SS (set of 2)**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SM-430


Main + prep bowl · 32 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Main + prep bowl**
Overall (O.D.)	**32 × 18"**
Bowl (I.D.)	**21 × 16" main + 8 × 16" prep**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SM-430-SS (set of 2)**
Option	**T-316L on request**

SM-431


Main + prep bowl · 32 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Main + prep bowl**
Overall (O.D.)	**32 × 20"**
Bowl (I.D.)	**21 × 18" main + 8 × 18" prep**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**34" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SM-431-SS (set of 2)**
Option	**T-316L on request**


APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

SM-432

Main + prep bowl · 34 × 18" overall



PLAN VIEW



SECTION · NOT TO SCALE




Configuration	**Main + prep bowl**
Overall (O.D.)	**34 × 18"**
Bowl (I.D.)	**23 × 16" main + 8 × 16" prep**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SM-432-SS (set of 2)**
Option	**T-316L on request**

SM-433

Main + prep bowl · 34 × 20" overall



PLAN VIEW



SECTION · NOT TO SCALE



Configuration	**Main + prep bowl**
Overall (O.D.)	**34 × 20"**
Bowl (I.D.)	**23 × 18" main + 8 × 18" prep**
Bowl depth	**9"**
Corner radius	**⅝"**
Drain opening	**3½" standard (2), centered**
Flange	**1"**
Divider	**1"**
Min. cabinet	**36" interior (1" each side)**
Material	**16 GA T-304 · #4 satin**
Certified	**NSF/ANSI · ASME A112.19.3**
Bottom grate	**SM-433-SS (set of 2)**
Option	**T-316L on request**

APPROVAL Job _____ Model _____ Qty ____ Approved by _____ Date _____

Berlin Food & Lab Equipment Co.
NSF/ANSI cGMP CERT

43 South Linden Ave
South San Francisco, CA 94080

www.berlinusa.com · mail@berlinusa.com
650.589.4231