


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

SINGLE TUB | NO DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF





MODEL NO.	"A"	"B"	"C"	"D"	NET WT.	LIST PRICE
1N18	23"	23.5"	18"	18"	40 LBS	\$ 2,212.00
1N1823	23"	28.5"	18"	23"	44 LBS	\$ 2,365.00
1N23	28"	28.5"	23"	23"	50 LBS	\$ 2,458.00
1N2923	34"	28.5"	29"	23"	57 LBS	\$ 2,550.00
1N29	34"	34.5"	29"	29"	63 LBS	\$ 2,734.00

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

SINGLE TUB | RIGHT-SIDE DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF.



MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
1N18 - 1D18	38.5"	23.5"	18"	18"	18"	47 LBS	\$ 2,856.00
1N18 - 1D24	44.5"	23.5"	18"	18"	24"	51 LBS	\$ 2,917.00
1N1823 - 1D18	38.5"	28.5"	18"	23"	18"	54 LBS	\$ 2,984.00
1N1823 - 1D24	44.5"	28.5"	18"	23"	24"	58 LBS	\$ 3,058.00
1N23 - 1D24	49.5"	28.5"	23"	23"	24"	64 LBS	\$ 3,152.00
1N23 - 1D30	55.5"	28.5"	23"	23"	30"	68 LBS	\$ 3,228.00
1N2923 - 1D30	61.5"	28.5"	29"	23"	30"	77 LBS	\$ 3,329.00
1N2923 - 1D36	67.5"	28.5"	29"	23"	36"	81 LBS	\$ 3,419.00
1N29 - 1D30	61.5"	34.5"	29"	29"	30"	86 LBS	\$ 3,565.00
1N29 - 1D36	67.5"	34.5"	29"	29"	36"	91 LBS	\$ 3,675.00

SPECIFICATIONS


- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS

TUB
DIMENSIONS

DRAINBOARD
DIMENSION

PLAN VIEW



ELEVATION

USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

SINGLE TUB | LEFT-SIDE DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF.




MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
1N18 - 1D18	38.5"	23.5"	18"	18"	18"	47 LBS	\$ 2,856.00
1N18 - 1D24	44.5"	23.5"	18"	18"	24"	51 LBS	\$ 2,917.00
1N1823 - 1D18	38.5"	28.5"	18"	23"	18"	54 LBS	\$ 2,984.00
1N1823 - 1D24	44.5"	28.5"	18"	23"	24"	58 LBS	\$ 3,058.00
1N23 - 1D24	49.5"	28.5"	23"	23"	24"	64 LBS	\$ 3,152.00
1N23 - 1D30	55.5"	28.5"	23"	23"	30"	68 LBS	\$ 3,228.00
1N2923 - 1D30	61.5"	28.5"	29"	23"	30"	77 LBS	\$ 3,329.00
1N2923 - 1D36	67.5"	28.5"	29"	23"	36"	81 LBS	\$ 3,119.00
1N29 - 1D30	61.5"	34.5"	29"	29"	30"	86 LBS	\$ 3,565.00
1N29 - 1D36	67.5"	34.5"	29"	29"	36"	91 LBS	\$ 3,675.00


SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



PLAN VIEW



ELEVATION

USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

SINGLE TUB | DRAINBOARDS ON BOTH SIDES

T-304 N.S.F.
CONSTRUCTION

NSF.





MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
1N18 - 2D18	54"	23.5"	18"	18"	18"	58 LBS	\$ 3,216.00
1N18 - 2D24	66"	23.5"	18"	18"	24"	64 LBS	\$ 3,339.00
1N1823 - 2D18	54"	28.5"	18"	23"	18"	64 LBS	\$ 3,381.00
1N1823 - 2D24	66"	28.5"	18"	23"	24"	72 LBS	\$ 3,109.00
1N23 - 2D24	71"	28.5"	23"	23"	24"	78 LBS	\$ 3,266.00
1N23 - 2D30	83"	28.5"	23"	23"	30"	86 LBS	\$ 3,529.00
1N2923 - 2D30	89"	28.5"	29"	23"	30"	93 LBS	\$ 3,691.00
* 1N2923 - 2D36	101"	28.5"	29"	23"	36"	115 LBS	\$ 4,406.00
1N29 - 2D30	89"	34.5"	29"	29"	30"	105 LBS	\$ 4,361.00
* 1N29 - 2D36	101"	34.5"	29"	29"	36"	128 LBS	\$ 4,922.00

* ADD 2 FEET WHEN DRAINBOARD IS 36"

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

DOUBLE TUBS | NO DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF.





MODEL NO.	"A"	"B"	"C"	"D"	NET WT.	LIST PRICE
2N18	43"	23.5"	18"	18"	64 LBS	\$ 3,092.00
2N1823	43"	28.5"	18"	23"	73 LBS	\$ 3,286.00
2N23	53"	28.5"	23"	23"	84 LBS	\$ 3,480.00
2N2923	65"	28.5"	29"	23"	98 LBS	\$ 3,371.00
2N29	65"	34.5"	29"	29"	109 LBS	\$ 4,061.00

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

DOUBLE TUBS | RIGHT-SIDE DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF.





MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
2N18 - 1D18	58.5"	23.5"	18"	18"	18"	73 LBS	\$ 3,589.00
2N18 - 1D24	64.5"	23.5"	18"	18"	24"	76 LBS	\$ 3,653.00
2N1823 - 1D18	58.5"	28.5"	18"	23"	18"	83 LBS	\$ 3,828.00
2N1823 - 1D24	64.5"	28.5"	18"	23"	24"	91 LBS	\$ 3,907.00
2N23 - 1D24	74.5"	28.5"	23"	23"	24"	98 LBS	\$ 4,100.00
2N23 - 1D30	80.5"	28.5"	23"	23"	30"	102 LBS	\$ 4,177.00
2N2923 - 1D30	92.5"	28.5"	29"	23"	30"	116 LBS	\$ 4,371.00
*2N2923 - 1D36	98.5"	28.5"	29"	23"	36"	127 LBS	\$ 4,862.00
2N29 - 1D30	92.5"	34.5"	29"	29"	30"	130 LBS	\$ 4,823.00
*2N29 - 1D36	98.5"	34.5"	29"	29"	36"	141 LBS	\$ 5,328.00

* ADD 2 FEET WHEN DRAINBOARD IS 36"

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

DOUBLE TUBS | LEFT-SIDE DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF.





MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
2N18 - 1D18	58.5"	23.5"	18"	18"	18"	73 LBS	\$ 3,589.00
2N18 - 1D24	64.5"	23.5"	18"	18"	24"	76 LBS	\$ 3,653.00
2N1823 - 1D18	58.5"	28.5"	18"	23"	18"	83 LBS	\$ 3,828.00
2N1823 - 1D24	64.5"	28.5"	18"	23"	24"	91 LBS	\$ 3,907.00
2N23 - 1D24	74.5"	28.5"	23"	23"	24"	98 LBS	\$ 4,100.00
2N23 - 1D30	80.5"	28.5"	23"	23"	30"	102 LBS	\$ 4,177.00
2N2923 - 1D30	92.5"	28.5"	29"	23"	30"	116 LBS	\$ 4,371.00
*2N2923 - 1D36	98.5"	28.5"	29"	23"	36"	127 LBS	\$ 4,862.00
2N29 - 1D30	92.5"	34.5"	29"	29"	30"	130 LBS	\$ 4,823.00
*2N29 - 1D36	98.5"	34.5"	29"	29"	36"	141 LBS	\$ 5,328.00

* ADD 2 FEET WHEN DRAINBOARD IS 36"

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

DOUBLE TUBS | DRAINBOARDS ON BOTH SIDES

T-304 N.S.F.
CONSTRUCTION

NSF.




MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
2N18 - 2D18	74"	22.5"	18"	18"	18"	81 LBS	\$ 4,087.00
2N18 - 2D24	86"	22.5"	18"	18"	24"	88 LBS	\$ 4,216.00
2N1823 - 2D18	74"	28.5"	18"	23"	18"	93 LBS	\$ 4,364.00
2N1823 - 2D24	86"	28.5"	18"	23"	24"	101 LBS	\$ 4,520.00
2N23 - 2D24	96"	28.5"	23"	23"	24"	112 LBS	\$ 4,714.00
2N23 - 2D30	108"	28.5"	23"	23"	30"	120 LBS	\$ 4,876.00
2N2923 - 2D30	120"	28.5"	29"	23"	30"	134 LBS	\$ 5,069.00
* 2N2923 - 2D36	132"	28.5"	29"	23"	36"	156 LBS	\$ 6,050.00
2N29 - 2D30	120"	34.5"	29"	29"	30"	146 LBS	\$ 5,683.00
* 2N29 - 2D36	132"	34.5"	29"	29"	36"	173 LBS	\$ 6,690.00

* ADD 2 FEET WHEN DRAINBOARD IS 36"

SPECIFICATIONS


- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



DRAINBOARD
DIMENSIONS

TUB
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

TRIPLE TUBS | NO DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF.




MODEL NO.	"A"	"B"	"C"	"D"	NET WT.	LIST PRICE
3N18	44"	23.5"	18"	18"	88 LBS	\$ 3,725.00
3N1823	44"	28.5"	18"	23"	101 LBS	\$ 4,015.00
* 3N23	53"	28.5"	23"	23"	115 LBS	\$ 4,306.00
* 3N2923	65"	28.5"	29"	23"	140 LBS	\$ 4,597.00
* 3N29	65"	34.5"	29"	29"	519 LBS	\$ 5,178.00

* INDICATES 2 SETS OF FAUCET HOLES


SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



TUB
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

TRIPLE TUBS | LEFT-SIDE DRAINBOARD

T-304 N.S.F.
CONSTRUCTION

NSF





MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
3N18 - 1D18	78.5"	23.5"	18"	18"	18"	97 LBS	\$ 4,223.00
3N18 - 1D24	84.5"	23.5"	18"	18"	24"	110 LBS	\$ 4,287.00
3N1823 - 1D18	78.5"	28.5"	18"	23"	18"	111 LBS	\$ 4,558.00
3N1823 - 1D24	84.5"	28.5"	18"	23"	24"	115 LBS	\$ 4,636.00
* 3N23 - 1D24	99.5"	28.5"	23"	23"	24"	129 LBS	\$ 4,927.00
* 3N23 - 1D30	105.5"	28.5"	23"	23"	30"	137 LBS	\$ 5,005.00
* 3N2923 - 1D30	123.5"	28.5"	29"	23"	30"	158 LBS	\$ 5,296.00
** 3N2923 - 1D36	135.5"	28.5"	29"	23"	36"	170 LBS	\$ 5,785.00
* 3N29 - 1D30	123.5"	34.5"	29"	29"	30"	177 LBS	\$ 3,495.00
** 3N29 - 1D36	135.5"	34.5"	29"	29"	36"	188 LBS	\$ 6,445.00

* INDICATES 2 SETS OF FAUCET HOLES
** INDICATES ADD 2 LEGS AT 36" DRAINBOARD & 2 SETS OF FAUCET HOLES

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET

OVERALL
DIMENSIONS



USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com


Made in the US since 1941

STAINLESS STEEL NSF LAB SINKS

TRIPLE TUBS | DRAINBOARDS ON BOTH SIDES

T-304 N.S.F.
CONSTRUCTION

NSF




MODEL NO.	"A"	"B"	"C"	"D"	"E"	NET WT.	LIST PRICE
3N18 - 2D18	94"	23.5"	18"	18"	18"	106 LBS	\$ 4,719.00
3N18 - 2D24	106"	23.5"	18"	18"	24"	112 LBS	\$ 4,848.00
3N1823 - 2D18	94"	28.5"	18"	23"	18"	121 LBS	\$ 5,102.00
3N1823 - 2D24	106"	28.5"	18"	23"	24"	129 LBS	\$ 5,256.00
*3N2028 - 2D20	104"	33.5"	20"	28"	20"	155 LBS	\$ 7,395.00
*3N2028 - 2D24	112"	33.5"	20"	28"	20"	160 LBS	\$ 7,354.00
*3N23 - 2D24	121"	28.5"	23"	23"	24"	147 LBS	\$ 5,547.00
*3N23 - 2D30	133"	28.5"	23"	23"	30"	154 LBS	\$ 5,702.00
*3N2923 - 2D30	151"	28.5"	29"	23"	30"	176 LBS	\$ 5,993.00
**3N2923 - 2D36	163"	28.5"	29"	23"	36"	197 LBS	\$ 6,975.00
*3N29 - 2D30	151"	34.5"	29"	29"	30"	197 LBS	\$ 6,703.00
**3N29 - 2D36	163"	34.5"	29"	29"	36"	219 LBS	\$ 7,711.00

* INDICATES 2 SETS OF FAUCET HOLES
** INDICATES ADD 2 LEGS AT 36" DRAINBOARD & 2 SETS OF FAUCET HOLES

SPECIFICATIONS

- CONSTRUCTED OF 16 GAUGE, TYPE 304 STAINLESS STEEL
- WELDED & POLISHED TO A #4 FINISH
- INSIDE CORNERS COVED TO COMPLY WITH NSF STANDARD NO. 2
- FRONT AND ENDS FINISHED WITH A 1.5" DIAMETER SANITARY ROLLED EDGE
- 9" HIGH BACK SPLASH WITH A 2" RETURN TO THE WALL AT 45 DEGREES AND A 3/4" TURN-DOWN WITH WALL CLIPS
- CENTER BASKET DRAINS WITH 1-1/2" IPS OUTLETS
- S/S NSF LEG SOCKETS WELDED TO THE BOTTOM
- "H" LEGS ARE 1-5/8" O.D. S/S TUBING
- NSF ADJUSTABLE BULLET FEET


OVERALL
DIMENSIONS



DRAINBOARD
DIMENSIONS

PLAN VIEW

TUB
DIMENSIONS



ELEVATION

USE FOR ARCHITECT / ENGINEER / CONTRACTOR APPROVAL

Job name _____

Date _____ QTY _____ Contractor _____

Model No. _____ Customer _____ Architect/Engineer _____



Performance Through Stainless!

43 South Linden Ave South San Francisco CA 94080 Ph (650) 589-4231 Fax (650) 589-3981 www.berlinusa.com